Meningococcal ACWY Secondary School Vaccine Program consent card

Complete and return to school

How to complete the form

- Please read the Meningococcal ACWY information and the information in the vaccine consent form.
- Complete the Vaccine consent section and sign or type your name if a Yes.
- Return the consent form to the school even if you do not want your child to be vaccinated.

Meningococcal ACWY information

Meningococcal ACWY

Meningococcal disease is caused by bacteria. Although meningococcal disease is uncommon, it can become very serious, very quickly. About 10 per cent of people carry meningococcal bacteria in their throat without becoming unwell. These people are known as 'carriers'. Meningococcal bacteria are passed from person to person by regular, close, prolonged household and intimate contact. Adolescents are at increased risk of meningococcal disease and more likely to spread the disease to others.

Invasive meningococcal disease occurs when these bacteria enter the blood stream to cause septicaemia (infection in the blood, also known as 'bacteraemia') or meningitis, (inflammation of the membrane covering of the brain). Death can occur in up to 10 per cent of cases. Occasionally, severe infection can also occur in the joints, throat, lungs or intestines.

There are different strains (serogroups) of meningococcal bacteria known by letters of the alphabet, including meningococcal A, B, C, W and Y. In recent years some of these meningococcal strains have increased across Australia..

Meningococcal ACWY vaccine

The Meningococcal ACWY vaccine is a four-in-one combined vaccine for protection against meningococcal A, C, W, Y strains. Studies have shown that the effectiveness of the meningococcal A, C, W, Y vaccine is between 80 to 85 per cent in adolescents. Meningococcal A, C, W, Y vaccination programs have been implemented in adolescents in the UK since 2015, and recommended in the US since 2005.

The vaccine does not contain any live bacteria and cannot cause meningococcal disease. The meningococcal ACWY vaccine will boost adolescents with the C strain they had as a baby and protect against the A, W and Y strains.

Possible side effects of meningococcal ACWY vaccine

Most side effects are minor and quickly disappear. If the following reactions occur, it will be soon after vaccination.

Common side effects

- Mild temperature
- Headache
- Dizziness
- · Pain, redness and swelling at the injection site
- Fainting may occur up to 30 minutes after any vaccination.

If mild reactions do occur, the side effects can be reduced by:

- Drinking extra fluids and not over-dressing if the person has a fever
- Taking paracetamol and placing a cold, wet cloth on the sore injection site.

Extremely rare side effects

Severe allergic reaction.

In the event of a severe allergic reaction, immediate medical attention will be provided. If reactions are severe or persistent, or if you are worried, contact your doctor or hospital.

Pre-immunisation checklist

Before you or your child is immunised, tell your doctor or nurse if any of the following apply.

- Is unwell on the day of immunisation (temperature over 38.5°C)
- Has any severe allergies
- · Has had a severe reaction to any vaccine
- Is pregnant.

After vaccination wait at the place of vaccination a minimum of 15 minutes.

Further information

If you require further advice or information, please contact your local council immunisation service or local doctor.

Or visit www.betterhealth.vic.gov.au

Translating and interpreting service call 131 450

Meningococcal ACWY vaccine consent form

- 1. Read the Meningococcal ACWY information.
- 2. Complete the consent section and sign if a Yes.
- 3. Remove the consent form and return it to school even if you do not want your child to be vaccinated.

Student details			
Medicare number	(Number beside child's nar	ne)	
Surname:	First name:		
Postal address:			
Postcode:	Date of birth: / /	Female Male	
School:		Class:	
Is this person of Aboriginal or Torres Strait	Islander origin? (Please tick)	_	
No Aboriginal Torres Strait Is	lander Aboriginal and Torres Strait Island	der	
Parent/guardian contact details			
Name of parent/guardian or student aged 2	18 or over:		
Daytime phone:	Mobile:		
Email:			
Vaccine consent			
the risks and benefits of vaccination with m vaccination takes place.	ny local council or doctor. I understand that co	_	
	udents aged 18 and over can give their own o	consent) YES, I CONSENT to my	
child receiving the Meningococcal ACW			
The Meningococcal ACWY-containing vac strains (one injection).	ccine is a four-in-one combined vaccine for pro	otection against meningococcal A, C, W, Y	
Parent/guardian signature:		Date: / /	
OR	eiving the Meningococcal W vaccine at this tim	ie.	
No, my child has had the Meningoco			
Please note any pre-existing medical condit	tion, severe allergies or previous severe reacti	on to vaccination.	
immunisation nurse, employed by local council immand Wellbeing Act 2008, local councils are responsi Local councils are committed to protecting the priv 2014 and the Health Records Act 2001. Local councils important to improve immunisation rates overall. In Aggregate immunisation data may be disclosed to the Secondary School Vaccine Program. This information information related to you or your child will be use expect. This may include the transfer or exchange of	ible for coordinating and providing immunisation servi- cacy, confidentiality and security of personal information cils report all adolescent vaccines given through school of this will provide tools such as recall and reminder synthemical synthemical watchers, and the Victorian government for the purpose of monitoring the Victorian government for the purpose of monitoring and does not identify any individual. It or disclosed for purposes directly related to your child of relevant information to your GP, to your child so the school vaccine program versions.	y school a number of times a year. Under the <i>Public Healt</i> ces to children being educated within the municipal district, in accordance with the <i>Privacy and Data Protection Ac</i> programs to the Australian Immunisation Register (AIR). In the stems to improve adolescent vaccination rates. This is ses recorded in the Australian Immunisation Register. In the funding and improving the Meningococcal ACWY and is immunisation, and in ways that you would reasonably to another treating health service or hospital or another	ict. ct

Nurse Initials:

Vaccination date:

Site: L/R arm